EDUCATION EXECUTIVE

Advertising Specifications

If you have any questions regarding the supply of artwork, please contact: production@intelligentmedia.co.uk or call 0203 794 8555 and we'll be happy to help.

LABEL KEY

BLEED:

Each outer edge of all full page artwork requires 3mm of bleed to avoid any white space remaining when the paper is cut.

TRIM:

This is the size of the final publication.

SAFE:


I the publication.

The area all text and feature images should be placed within to avoid the artwork appearing unbalanced or being concealed in the binding of

TOP TIPS

- The ideal file format to send us your artwork in is PDF. However, we will also accept EPS or TIFF files.
- Your artwork should be of high resolution, preferably more than 300DPI.
- Please allow a 3mm bleed on all sides of your artwork. This is the margin that we need when trimming prints.
- Please make sure that all the text on your artwork is at least 1cm from the edge of your design.
- Please convert all fonts in your artwork to outlines to ensure compatibility.
- Make sure your images are in CMYK colours (full colour), not RGB for example.

Double Page Spread (DPS)



TRIM

420mm wide x 297mm high


BLEED:

426mm wide x 303mm high

SAFE:

All text should be 1cm from the edge of BOTH pages

Half Page (horizontal)



SIZE:

190mm wide x 136mm high


BLEED:

Not required

SAFE:

We place artwork with 1cm of white space on each side

Full Page



TRIM

210mm wide x 297mm high


BLEED:

216mm wide x 303mm high

SAFE:

All text should be 1cm from the edge of the page

Half Page (vertical)



TRIM

92mm wide x 277mm high

BLEED:

Not required

SAFE:

We place artwork with 1cm of white space on each side




Sponsored Inclusion Specifications

If you have any questions regarding the supply of artwork, please contact: production@intelligentmedia.co.uk or call 0203 794 8555 and we'll be happy to help.

TOP TIPS

- If you use the maximum word count, fewer images will be used in the final designed version. If you would like the case study to have more images incorporated, please reduce the word count to accommodate for this.
- Ensure your images are in CMYK colours (full colour), not RGB for example. Your artwork should be of high resolution e.g. more than 300DPI

1/2 Page Sponsored Column



Please supply up to 250 words saved in a word document


1 image

1 Logo

Contact details if you wish them to be included

Website or email link if you wish them to be included

2 PAGE Sponsored Article/Feature/Case Study



Please supply up to 900 words saved in a word document


2 - 4 images

Logo

Contact details if you wish them to be included

Website or email link if you wish them to be included

1 PAGE Sponsored Article/Feature/Case Study



Please supply up to 400 words saved in a word document


1-2 images


Logo

Contact details if you wish them to be included

Website or email link if you wish them to be included

3 PAGE Sponsored Article/Feature/Case Study





Please supply up to 1350 words saved in a word document

Up to 4 images

Logo

Contact details if you wish them to be included

Website or email link if you wish them to be included

EDUCATION EXECUTIVE

Gatefold Specifications

If you have any questions regarding the supply of artwork, please contact: production@intelligentmedia.co.uk or call 0203 794 8555 and we'll be happy to help.

LABEL KEY

BLEED:

Each outer edge of all full page artwork requires 3mm of bleed to avoid any white space remaining when the paper is cut.

TRIM:

This is the size of the final publication.

SAFE:

I the publication.

The area all text and feature images should be placed within to avoid the artwork appearing unbalanced or being concealed in the binding of

TOP TIPS

- The ideal file format to send us your artwork in is PDF. However, we will also accept EPS or TIFF files.
- Your artwork should be of high resolution, preferably more than 300DPI.
- Please allow a 3mm bleed on all sides of your artwork. This is the margin that we need when trimming prints.
- Please make sure that all the text on your artwork is at least 1cm from the edge of your design.
- Please convert all fonts in your artwork to outlines to ensure compatibility.
- Make sure your images are in CMYK colours (full colour), not RGB for example.

Outer Gate (OG)



TRIM:

198mm wide x 297mm high


BLEED:


204mm wide x 303mm high

SAFE:

All text should be 1cm from the edge of the page

How does a gatefold work?





Gatefold DPS

IG Inside Inner gate front cover

SAFE:

All text should be 1cm from the edge of the double page spread.

Anything placed in the middle of the spread will NOT be lost in the crease.

The IG/OG page isn't as wide as the IFC page to allow it to fold inside the magazine.

Inner Gate (IG)

TRIM:

198mm wide x 297mm high

BLEED:

204mm wide x 303mm high

Inside Front Cover (IFC)

TRIM:

208mm wide x 297mm high

BLEED:

214mm wide x 303mm high





Digital Specifications

If you have any questions regarding the supply of artwork, please contact: production@intelligentmedia.co.uk or call 0203 794 8555 and we'll be happy to help.

Website Buttons

- Please supply website advertising as a web ready GIF, animated GIF, JPG or SWF.
- All documents must be RGB and the file size should not exceed 80kb.





Tweet

• Please provide up to 140 characters

EE Weekly Email Advertising

- Please supply email advertising as a web ready GIF or JPG.
- Animated Gifs may not display correctly in some email clients.
- All documents must be RGB and the file size should not exceed 80kb.



Sponsored Blog or News Story

- Please supply 250 500 words, links accepted
- 1 image should ideally be 588px x 283px

Sponsored Article, Feature or Case Study

- Please supply 500 -1000 words, links accepted
- 1-3 images should ideally be 588px x 283px

Solus/Bespoke E-Shot

- Please provide a HTML file, deigned at 600px wide
- Images must be provided as absolute links
- We advise against the use of CSS as it is incompatible with some email clients
- We also advise against background images for the same reason
- All styles should be in line

Useful links for solus email design

www.visuallizard.com/blog/2011/01/25/email-standards www.1stwebdesigner.com/tutorials/ultimate-guide-html-emails/